



The AGMAR /9 server cabinet in configuration B is available in 12 sizes and two colors - RAL7035 and RAL9005. Standardly without side walls, prepared for connecting in series using a set of baying brackets. The 85% door perforation increases cooling efficiency.

SUPPLY INCLUDES:

Frame: made of powder-coated steel, welded structure with system holes

Front door: one-piece, perforated 85%, 4-point locking system, handle with patent lock, 180° hinges

Rear door: vertically divided 50/50, perforated 85%, 4-point locking system, handle with patent lock, 180° hinges

Roof: flat roof with two side cable entry in the depth

Rack 19": 2 pairs of 19" type B profile, marking of the height of individual U

Grounding: copper busbar with a set of grounding cables

Server racks | Configuration B | usable height 42U

Dimensions								
Usable height [U]	42		42		42		42	
Width [mm]	600		600		800		800	
Depth [mm]	1000		1200		1000		1200	
Total height [mm]	1965		1965		1965		1965	
Total width [mm]	600		600		800		800	
Total depth [mm]	1050		1250		1050		1250	
Color	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005
Max load [kg]	1500	1500	1500	1500	1500	1500	1500	1500
Distance between refitted 19" [mm]	720	720	720	720	720	720	720	720
Catalog Number	7131-42601	7131-42602	7131-42621	7131-42622	7131-42801	7131-42802	7131-42821	7131-42822
Suggested accessories								
Side wall divided horizontally	7136-24201	7136-24202	7136-24221	7136-24222	7136-24201	7136-24202	7136-24221	7136-24222
Separation wall full	7136-54201	7136-54202	7136-54221	7136-54222	7136-54201	7136-54202	7136-54221	7136-54222
Separation wall with bushings	7136-64201	7136-64202	7136-64221	7136-64222	7136-64201	7136-64202	7136-64221	7136-64222
Set of baying brackets	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000
Set of baying seal	7139-10011	7139-10012	7139-10011	7139-10012	7139-10041	7139-10042	7139-10041	7139-10042
Blanking panel 1U tool-free	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012
Shelf with adjustable depth 1U	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112
Adjustable slide rail 1U 600-850 mm	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120
Side cable tray 250mm	7139-00111	7139-00112	7139-00111	7139-00112	7139-00111	7139-00112	7139-00111	7139-00112

Server racks | Configuration B | usable height 47U

Dimensions								
Usable height [U]	47		47		47		47	
Width [mm]	600		600		800		800	
Depth [mm]	1000		1200		1000		1200	
Total height [mm]	2188		2188		2188		2188	
Total width [mm]	600		600		800		800	
Total depth [mm]	1050		1250		1050		1250	
Color	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005
Max load [kg]	1500	1500	1500	1500	1500	1500	1500	1500
Distance between refitted 19" [mm]	720	720	720	720	720	720	720	720
Catalog number	7131-47601	7131-47602	7131-47621	7131-47622	7131-47801	7131-47802	7131-47821	7131-47822
Suggested accessories								
Side wall divided horizontally	7136-24701	7136-24702	7136-24721	7136-24722	7136-24701	7136-24702	7136-24721	7136-24722
Separation wall full	7136-54701	7136-54702	7136-54721	7136-54722	7136-54701	7136-54702	7136-54721	7136-54722
Separation wall with bushings	7136-64701	7136-64702	7136-64721	7136-64722	7136-64701	7136-64702	7136-64721	7136-64722
Set of baying brackets	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000
Set of baying seal	7139-10021	7139-10022	7139-10021	7139-10022	7139-10051	7139-10052	7139-10051	7139-10052
Blanking panel 1U tool-free	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012
Shelf with adjustable depth 1U	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112
Adjustable slide rail 1U 600-850 mm	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120
Side cable tray 250mm	7139-00121	7139-00122	7139-00121	7139-00122	7139-00121	7139-00122	7139-00121	7139-00122

Server racks | Configuration B | usable height 52U

Dimensions								
Usable height [U]	52		52		52		52	
Width [mm]	600		600		800		800	
Depth [mm]	1000		1200		1000		1200	
Total height [mm]	2410		2410		2410		2410	
Total width [mm]	600		600		800		800	
Total depth [mm]	1050		1250		1050		1250	
Color	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005	RAL7035	RAL9005
Max load [kg]	1500	1500	1500	1500	1500	1500	1500	1500
Distance between refitted 19" [mm]	720	720	720	720	720	720	720	720
Catalog number	7131-52601	7131-52602	7131-52621	7131-52622	7131-52801	7131-52802	7131-52821	7131-52822
Suggested accessories								
Side wall divided horizontally	7136-25201	7136-25202	7136-25221	7136-25222	7136-25201	7136-25202	7136-25221	7136-25222
Separation wall full	7136-55201	7136-55202	7136-55221	7136-55222	7136-55201	7136-55202	7136-55221	7136-55222
Separation wall with bushings	7136-65201	7136-65202	7136-65221	7136-65222	7136-65201	7136-65202	7136-65221	7136-65222
Set of baying brackets	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000	7136-90000
Set of baying seal	7139-10031	7139-10032	7139-10031	7139-10032	7139-10061	7139-10062	7139-10061	7139-10062
Blanking panel 1U tool-free	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012	7101-01011	7101-01012
Shelf with adjustable depth 1U	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112	7101-04111	7101-04112
Adjustable slide rail 1U 600-850 mm	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120	7101-06120
Side cable tray 250mm	7139-00131	7139-00132	7139-00131	7139-00132	7139-00131	7139-00132	7139-00131	7139-00132